
# GreenTriplex PM060M02

Mono-Crystalline Photovoltaic Module





Power Range 270 ~ 280 Wp



Highly Strengthened Design

Module complies with advanced loading tests to meet 5400 Pa loading requirements



PID-Free



Superior Weak Light Performance

Improved absorption of long wavelength light



Flammability Test

Low ignitability ensuring fire safety



IP-67 Rated Junction Box

Advanced water and dust proof level



Resistance to Salt Corrosion and Humidity

Module complies with IEC 61701: Salt Mist Corrosion Testing



Ammonia Test

Reliable in ammonia rich environment









## GreenTriplex PM060M02 (270 ~ 280 Wp)

#### **Electrical Data**

Typ. Nominal Power P <sub>N</sub>	270VV	275W	280VV
Typ. Module Efficiency	16.8%	17.1%	17.4%
Typ. Nominal Voltage $V_{mp}\left(V\right)$	31.8	32.3	32.7
Typ. Nominal Current Imp (A)	8.50	8.52	8.57
Typ. Open Circuit Voltage Voc (V)	38.5	38.7	38.9
Typ. Short Circuit Current Isc (A)	9.01	9.03	9.06
Maximum Tolerance of P <sub>N</sub>		0 / +3%	

- Above data are the effective measurement at Standard Test Conditions (STC)
  STC: irradiance 1000 W/m³, spectral distribution AM 1.5, temperature 25 ± 2 °C, in accordance with EN 60904-3
  The given electrical data are nominal values which account for basic measurements and manufacturing tolerances of ±10%, with the exception of PN. The classifications is performed according to PN.

#### Temperature Coefficient

NOCT	46 ± 2 °C
Typ.Temperature Coefficient of $P_N$	-0.42% / K
Typ.Temperature Coefficient of Voc	-0.30% / K
Temperature Coefficient of Isc	0.05% / K

 $<sup>\</sup>bullet \, NOCT: Normal \, Operation \, Cell \, Temperature, measuring \, conditions: irradiance \, 800 \, W/m^2, \, AM \, 1.5, air \, temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, speed \, \, I \, \, m/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, Seed \, \, M/s \, \, Cell \, Temperature \, 20 \, ^{\circ}C, wind \, Seed \, \, Cell \, \, M/s \, \, Cell \, Temperatur$ 

#### Mechanical Characteristics

Dimensions (L x W x H)	1639 x 983 x 40 mm (64.53 x 38.70 x 1.57 in )
Weight	18.5 kg (40.79 lbs)
Front Glass	High transparent solar glass (tempered), 3.2 mm (0.13 in)
Cell	60 monocrystalline solar cells
Back Sheet	Composite film
Frame	Anodized aluminum frame
Junction Box	IP-67 rated with 3 bypass diodes
Connector Type & Cables	TE Connectivity PV4: $1 \times 4$ mm² (0.04 $\times$ 0.16 in²), Length: each 1.0 m (39.37 in) YUKITA YS-254/ YS-255: $1 \times 4$ mm² (0.04 $\times$ 0.16 in²), Length: each 1.065 m (41.93 in)

#### **Operating Conditions**

Operating Temperature	-40 ~ +85 °C
Ambient Temperature Range	-40 ~ +45 °C
Max. System Voltage IEC/UL	1000 V / 1000 V
Serial Fuse Rating	15 A
Maximum Surface Load Capacity	Tested up to 5400 Pa according to IEC 61215 (advanced test)

### Warranties and Certifications

Product Warranty	Maximum 10 years for material and workmanship
Performance Guarantee	Guaranteed linear degradation to 80% for 25 years *I
Certifications	According to IEC/EN 61215, IEC/EN 61730 and UL 1703 guidelines *2

#### Packing Configuration


Container	20' GP	40' GP	40' HQ
Pieces per Pallet	26	26	26
Pallets per Container	6	14	28
Pieces per Container	156	364	728


#### **AU Optronics Corporation**

No. I, Li-Hsin Rd. 2, Hsinchu Science Park, Hsinchu 30078, Taiwan Tel: +886-3-500-8899 www.BenQSolar.com

## BenQ Solar is a division of AU Optronics This datasheet is printed with Soy Ink © Copyright February 2015 AU Optronics Corp. All rights reserved. Information may change without notice.

#### Dimensions mm (inch)







\* Distance between two Mounting Holes

→ Grounding Holes

#### I-V Curve



Current/voltage characteristics with dependence on irradiance and module temperature.






<sup>\*</sup>I: Please refer to warranty letter for detail \*2: Please confirm other certifications with official dealers

# GreenTriplex PM060M02 Plus

Mono-Crystalline Photovoltaic Module





Power Range 280 ~ 295 Wp



Highly Strengthened Design

Module complies with advanced loading tests to meet 5400 Pa loading requirements



PID-Free



Superior Weak Light Performance

Improved absorption of long wavelength light



Flammability Test

Low ignitability ensuring fire safety



IP-67 Rated Junction Box

Advanced water and dust proof level



Resistance to Salt Corrosion and Humidity

Module complies with IEC 61701: Salt Mist Corrosion Testing



Ammonia Test

Reliable in ammonia rich environment









## GreenTriplex PM060M02 Plus (280~295 Wp)

#### **Electrical Data**

Typ. Nominal Power P <sub>N</sub>	280W	285W	290W	295W
Typ. Module Efficiency	17.4%	17.7%	18.0%	18.3%
Typ. Nominal Voltage $V_{mp}\left(V\right)$	32.7	31.0	31.3	31.6
Typ. Nominal Current Imp (A)	8.57	9.20	9.27	9.34
Typ. Open Circuit Voltage Voc (V)	38.9	40.0	40.4	40.9
Typ. Short Circuit Current Isc (A)	9.06	9.80	9.82	9.86
$Maximum  Tolerance  of  P_N$		0 / -	+3%	

- \*Above data are the effective measurement at Standard Test Conditions (STC) \* STC: irradiance  $1000\,\text{W/m}^2$ , spectral distribution AM 1.5, temperature  $25\pm2\,^\circ\text{C}$ , in accordance with EN 60904-3 \* The given electrical data are noninal values which account for basic measurements and manufacturing tolerances of  $\pm10\%$ , with the exception of Ps. The classifications is performed according to Ps. \* Black back sheet is utilized for 280-290%; white back sheet is for 285-295%

#### Temperature Coefficient

NOCT	46 ± 2 °C
Typ.Temperature Coefficient of $P_{\rm N}$	-0.42% / K
Typ.Temperature Coefficient of Voc	-0.30% / K
Temperature Coefficient of Isc	0.05% / K

 $<sup>\</sup>bullet \ NOCT: Normal\ Operation\ Cell\ Temperature, measuring\ conditions: irradiance\ 800\ W/m^2,\ AM\ I.5,\ air\ temperature\ 20\ ^\circ C,\ wind\ speed\ I\ m/s$ 

#### Mechanical Characteristics

Dimensions (L x W x H)	1639 x 983 x 40 mm (64.53 x 38.70 x 1.57 in )
Weight	19 kg (41.89 lbs)
Front Glass	High transparent solar glass (tempered), 3.2 mm (0.13 in)
Cell	60 monocrystalline solar cells
Back Sheet	Composite film
Frame	Anodized aluminum frame
Junction Box	IP-67 rated with 3 bypass diodes
Connector Type & Cables	TE Connectivity PV4: I $\times$ 4 mm² (0.04 $\times$ 0.16 in²), Length: each I.0 m (39.37 in) YUKITA YS-254/ YS-255: I $\times$ 4 mm² (0.04 $\times$ 0.16 in²), Length: each I.065 m (41.93 in)

#### **Operating Conditions**

Operating Temperature	-40 ~ +85 °C
Ambient Temperature Range	-40 ~ +45 °C
Max. System Voltage IEC/UL	1000 V / 1000 V
Serial Fuse Rating	15 A
Maximum Surface Load Capacity	Tested up to 5400 Pa according to IEC 61215 (advanced test)

#### Warranties and Certifications


Product Warranty	Maximum 10 years for material and workmanship
Performance Guarantee	Guaranteed linear degradation to 80% for 25 years *I
Certifications	According to IEC/EN 61215, IEC/EN 61730 and UL 1703 guidelines *2

- \*I: Please refer to warranty letter for detail \*2: Please confirm other certifications with official dealers


#### Packing Configuration


Container	20' GP	40' GP	40' HQ
Pieces per Pallet	26	26	26
Pallets per Container	6	14	28
Pieces per Container	156	364	728

### Dimensions mm (inch)











- → Grounding Holes

#### I-V Curve



Current/voltage characteristics with dependence on irradiance and module temperature.





#### **AU Optronics Corporation**

No. I, Li-Hsin Rd. 2, Hsinchu Science Park, Hsinchu 30078, Taiwan Tel: +886-3-500-8899 www.BenQSolar.com



