

SIL-580 XM+ **BIFACIAL**



SIL SOLAR

NEXT-GENERATION N-TYPE CELL TECHNOLOGY

Manufactured exclusively in the USA.


 (\mathbf{H})

TEC

- Improved Shade Tolerance
- Efficient Bifacial Energy Yield
- Increased Performance in **High Temperatures**
- Improved Low-Light Performance
 Enhanced Durability Reduced Degradation Rate

CE

• 25-Year Product Warranty/ 30-Year Performance Warranty



ELECTRICAL SPECIFICATIONS			580				
Test Conditions		STC	BSTC	NOCT			
Module Power (Pmax)	Wp	580	632.8	428.2			
Maximum power voltage (Vpmax)	V	44.27	44.27	40.73			
Maximum power current (Ipmax)	А	13.10	14.29	10.51			
Open circuit voltage (Voc)	V	52.27	52.32	48.08			
Short circuit current (Isc)	А	13.85	15.11	11.12			
Module efficiency	%	22.4%					
Maximum system voltage (VDC)	V	1500					
Series fuse rating	А	30					
Power Tolerance	Wp	0 to +10					
Bifaciality Factor	%	80±5					

Performance conditions: Measurement tolerance ≤ 3% • Standard Test Conditions (STC): 1000 W/m², AM 1.5, Temperature 25 °C • Nominal Operating Cell Temperature (NOCT): 800 W/m², AM 1.5 • Bifacial Standard Test Conditions (BSTC): 1000 W/m² + ϕ × 135 W/m², ϕ = 80 %, AM 1.5 • Electrical characteristics may vary by ±5%.


MECHANICAL PROPERTIES / COMPONENTS		METRIC		IMPERIAL	MPERIAL		
Module weight		28.5 kg ±0.2 kg		52.8 lbs ±0.4 lbs			
Dimensions (H x L x D)		2278 mm x 1133 mm x 35 mm 8		9.7 in x 44.6 in x 1.4 in			
Maximum surface load (wind/snow)*		2400 Pa rear load / 5400 Pa front load		0.1 lb/ft² rear load / 112.8 lb/ft² front load			
Hail impact resistance		ø 25 mm at 83 km/h		ø 1 in at 51.6 mph			
Cells		144 Half cells - N-Type Silicon solar cell 182 mm x 91 mm		144 Half cells - N-Type Silicon solar cell 7.16 in x 3.58 in			
Glass		3.2 mm high transmittance, tempered, anti-reflective coating		.126 in high transmittance, tempered, inti-reflective coating			
Cables and connectors (refer to installation manual)		1350 mm, ø 5.7 mm, EVO2 from Staubli 5		3.1 in, ø 0.22 in (12 AWG), EVO2 from Staubli			
Backsheet		High durability, superior hydrolysis and UV resistance, multi-layer dielectric film, transparent PV backsheet					
Frame		Anodized Aluminum (Silver)					
Junction Box		UL 3730 Certified, IEC 62790 Certified, IP68 rated, 3 diodes					
TEMPERATURE RATINGS			WARRANTIES				
Temperature Coefficient Isc	0.04 %/°C		Module product workmanship	o warranty	25 years**		
Temperature Coefficient Voc	-0.24 %/°C		Linear power performance guarantee		30 years		
Temperature Coefficient Pmax	-0.29 %/°C				≥ 98% end 1st yr		
NOCT (± 2°C)	45 °C					end 12th yr end 25th yr	
Operating temperature	-40/+85 °C		≥ 90.0% end 25th yr ≥ 89.3% end 30th yr				
CERTIFICATIONS SHIPPING SPECS							
		UL 61215, UL 61730, CSA C22.2#61730, IEC 61215, IEC 61730, IEC 61701 (Salt Mist Corrosion), IEC 62716 (Ammonia Corrosion), CEC Listed, III Fire Rating: Type 1			let:	29	
Product							

A Warning. Read the Safety and Installation Manual for mounting specifications and before handling, installing and operating modules.
 12 year extendable to 25 years subject to registration and conditions outlined under "Warranty" at silfabsolar.com.
 PAN files generated from 3rd party performance data are available for download at: silfabsolar.com/downloads.

UL Fire Rating: Type 1

ISO9001:2015

Factory



SILFAB SOLAR INC.

21

22

California (Pallets per load)

Others (Pallets per load)

1770 Port Drive Burlington WA 98233 USA **T** +1 360.569.4733 info@silfabsolar.com SILFABSOLAR.COM

7149 Logistics Lane Fort Mill SC 29715 USA **T** +1 839.400.4338

240 Courtneypark Drive East Mississauga ON L5T 2S5 Canada T +1 905.255.2501 F +1 905.696.0267

Silfab - SIL-580-XM+-BIFACIAL 20250213

No reproduction of any kind is allowed without permission. Data and information is subject to modifications without notice. \circledast Silfab Solar inc., 2024. Silfab Solar's is a registered trademark of Silfab Solar Inc.